

**Hose connector for waste deck filler ISO8840**

To be screwed onto 1 1/2" thread filler caps, BSP for connection to the dock draining nozzles in compliance with ISO8840.

Code	For 1" 1/2" deck fillers
20.866.90	20.366.09; 20.450.04; 20.461.09; 20.463.09; 20.666.09; 20.667.06; 20.668.06; 20.866.39

**Deck filler keys****Universal plug keys**


Code	Description
20.169.90	Made of <b>stainless steel</b> , designed to unscrew fuel filler cap

**Handle suitable for opening fuel/water and locker plugs**

Code	Description
20.714.01	Made of <b>AISI 316 stainless steel</b> . Standard hexagon winch-type for sailboat.

**Water/fuel plug opening fiberglass key**

Code	Description
20.460.11	Hexagonal – To open 20.461.03. Recommended for Jeanneau/Beneteau diesel plugs from 2000 on.
20.715.10	Octagonal – Winch handle type recess, 100-mm length.

**Tank vents****Plastic vent**

Made of **nylon** with double internal mesh. Designed in compliance with the requirements of the UNI EN ISO 21487 regulation.

Code	Hose fitting Ø mm
20.283.00	16

**ATTWOOD special fuel vent**

16-mm 90° hose adaptor and vent fitted with valve to **totally** prevent water from getting into the hull. **Nylon** body, **polished stainless steel** outer part. Designed in compliance with the requirements of the UNI EN ISO 21487 regulation.

Code	Hose fitting Ø mm
20.446.19	16

**Elbowed fuel vent**

Made of **nylon**, fitted with double internal screen. Designed in compliance with the requirements of the UNI EN ISO 21487 regulation.

Code	Hose fitting Ø mm
20.287.90	19

**Chromed brass fuel vent**

Splash-proof screen protection.  
Designed in compliance with the requirements of the UNI EN ISO 21487 regulation.

Code	Ø Hose adaptor mm
20.120.80	16
20.172.01	20

**Mirror polished stainless steel fuel vent**

Fitted with fire-proof screen and hose adaptor.  
Designed in compliance with the requirements of the UNI EN ISO 21487 regulation.

For pipe Ø mm	degree angle 90°	straight
16	20.288.01	20.287.80
19	20.289.01	20.287.82
25	-	20.287.81

