

Engine control cables

Engine control cables

Flexible for engine control.

Tipo	For engines
C2	for all Suzuki, Mariner, Yamaha, Tohatsu, Selva and Honda outboard and inboard engines
C5	Mercury and Mercruiser inboard and outboard engines
C8	inboard engines and stern drives (heavy duty reinforced cable)
C14	Johnson, Evinrude engines with stiff terminal, OMC from 1979 to now
C36	for all Mercury/Mercruiser engines equipped with Generation II (year 2004) radio remote control box



Length in feet	C2	C5	C8	C14	C36
05'	45.002.05	-	-	-	-
06'	45.002.06	45.005.06	-	45.014.06	-
07'	45.002.07	45.005.07	-	45.014.07	45.003.07
08'	45.002.08	45.005.08	45.008.08	45.014.08	45.003.08
09'	45.002.09	45.005.09	45.008.09	45.014.09	45.003.09
10'	45.002.10	45.005.10	45.008.10	45.014.10	45.003.10
11'	45.002.11	45.005.11	45.008.11	45.014.11	45.003.11
12'	45.002.12	45.005.12	45.008.12	45.014.12	45.003.12
13'	45.002.13	45.005.13	45.008.13	45.014.13	45.003.13
14'	45.002.14	45.005.14	45.008.14	45.014.14	45.003.14
15'	45.002.15	45.005.15	45.008.15	45.014.15	45.003.15
16'	45.002.16	45.005.16	45.008.16	45.014.16	45.003.16
17'	45.002.17	45.005.17	45.008.17	45.014.17	45.003.17
18'	45.002.18	45.005.18	45.008.18	45.014.18	45.003.18
19'	45.002.19	45.005.19	45.008.19	45.014.19	45.003.19
20'	45.002.20	45.005.20	45.008.20	45.014.20	45.003.20
21'	45.002.21	45.005.21	45.008.21	-	45.003.21
22'	45.002.22	45.005.22	45.008.22	45.014.22	45.003.22
23'	45.002.23	-	45.008.23	-	-
24'	45.002.24	45.005.24	45.008.24	45.014.24	45.003.24
25'	-	-	45.008.25	-	-
26'	-	-	45.008.26	-	-
27'	-	-	45.008.27	-	-
28'	-	-	45.008.28	-	-
29'	-	-	45.008.29	-	-
30'	-	-	45.008.30	-	-
31'	-	-	45.008.31	-	-
32'	-	-	45.008.32	-	-
33'	-	-	45.008.33	-	-
34'	-	-	45.008.34	-	-
35'	-	-	45.008.35	-	-
36'	-	-	45.008.36	-	-
38'	-	-	45.008.38	-	-
40'	-	-	45.008.40	-	-

Patented cables series ULTRAFLEX Mach™

High efficiency and flexibility.

Model	Type
MACHZero	universal (as C2/C8)
MACH36	Mercury GEN II (as C36)
MACH5	Mercury (as C5)

Length in feet	MACH36	MACH5	MACHZero
10'	45.010.10	45.009.10	45.000.10
11'	45.010.11	45.009.11	45.000.11
12'	45.010.12	45.009.12	45.000.12
13'	45.010.13	45.009.13	45.000.13
14'	45.010.14	45.009.14	45.000.14
15'	45.010.15	45.009.15	45.000.15
16'	45.010.16	45.009.16	45.000.16
17'	45.010.17	45.009.17	45.000.17
18'	45.010.18	45.009.18	45.000.18
19'	45.010.19	45.009.19	45.000.19
20'	45.010.20	45.009.20	45.000.20
22'	45.010.22	45.009.22	45.000.22
24'	45.010.24	45.009.24	45.000.24
26'	45.010.26	-	45.000.26
28'	45.010.28	-	45.000.28
30'	45.010.30	-	45.000.30
32'	-	-	45.000.32
34'	-	-	45.000.34
36'	-	-	45.000.36
38'	-	-	45.000.38
40'	-	-	45.000.40

