



## Hinges 2 mm thickness



Made of mirror polished stainless steel. Vibration damping by means of a braked central axle.

Code	mm	Type
38.840.51	55x37	standard pin
38.441.50	55x37	reversed pin
38.552.00	55x37	central pin


## Hinges 2 mm thickness



Made of mirror polished stainless steel. Vibration damping by means of a braked central axle.

Code	mm	Type
38.440.08	74x60	standard pin


## Hinges 2 mm thickness



Made of mirror polished stainless steel. Vibration damping by means of a braked central axle.

Code	mm	Type
38.441.80	60,4x38,1	standard pin


## Hinges 2 mm thickness



Made of mirror polished stainless steel. Vibration damping by means of a braked central axle.

Code	mm	Type
38.441.70	68x39	standard pin
38.442.70	68x39	reversed pin


## Hinges 2 mm thickness



Made of mirror polished stainless steel. Vibration damping by means of a braked central axle.

Code	mm	Type
38.441.78	70x38,1	reversed pin


## Hinges 2 mm thickness



Made of mirror polished stainless steel. Vibration damping by means of a braked central axle.

Code	mm	Type
38.440.23	68x42	standard pin


## Hinges 2 mm thickness



Made of mirror polished stainless steel. Vibration damping by means of a braked central axle.

Code	mm	Type
38.441.51	72x38,5	standard pin


## Hinges 2 mm thickness



Made of mirror polished stainless steel. Vibration damping by means of a braked central axle.

Code	mm	Type
38.440.09	74x75	standard pin


## Hinges 2 mm thickness



Made of mirror polished stainless steel. Vibration damping by means of a braked central axle.

Code	mm	Type
38.816.00	75x40	standard pin


## Hinges 2 mm thickness



Made of mirror polished stainless steel. Vibration damping by means of a braked central axle.

Code	mm	Model
38.553.00	68x39	Semi-recessed
38.553.10	76x38	Semi-recessed


## Hinges 2 mm thickness



Made of mirror polished stainless steel. Vibration damping by means of a braked central axle.

Code	mm	Type
38.815.50	85x39	standard pin

## Hinges 2 mm thickness



Made of mirror polished stainless steel. Vibration damping by means of a braked central axle.

Code	mm	Type
38.217.40	95x39	standard pin