


Steering wheels with mahogany polyurethane lacquered crown



Made of mirror polished **stainless steel**. 16° spoke inclination.

Code	Ø mm
45.168.35	350
45.168.40	400

Steering wheel with external teak wheel rim, thick diameter



Stainless steel spokes, anatomically designed grasp crown for better gripping.

Code	Outer Ø mm	Spike inclination
45.165.02	400	28°
45.165.03	350	28°

Steering wheels with external teak wheel rim and spokes coated with teak






Stainless steel hub and spokes, central cone "Ultraflex, Morse".

Code	external Ø mm
45.167.40	400
45.167.50	500

Hand grip

Fitting on steering wheel crowns to provide a quick rotation, universal size.

Code	Color
45.134.01	 Black
45.134.02	 Grey
45.134.03	 White
45.134.04	- Wood color



▲ 45.134.01

Helm Indicator

45.130.01 For application at the centre of the wheel. Universal and self-adhesive. Once applied it can be adjusted for perfect centering.



Classic steering wheels

Genovese type with 6 or 8 spokes, fitted with perimetrical **brass** bands, central hub in just one piece, polyurethane lacquered with 8 coats, sealed spokes, very sturdy, all with standard hole size 18 mm, or with Ultraflex.


Code	Ø mm
45.160.37	370
45.160.42	420
45.160.49	490
45.160.52	520
45.160.60	600
45.160.70	700



45.176.01/02 Central brass plug



▲ 45.176.01



▲ 45.160.xx


Classic steering wheel with stainless steel external rim

Technical features are the same of steering wheel model 45.160.xx. The external rim is mounted with a special system without screws. The hub and band are made of **chromed brass**. Fitted with universal cone.

Code	Ø mm	Spare cover
45.161.42	420	45.176.03
45.161.52	520	45.176.04
45.161.62	620	-



▲ 45.176.03



▲ 45.161.xx

Rear cable steering shaft

Made of **plastic and metal**.

Code	Angle
45.145.01	normal 90°
45.145.02	inclined 20°



▲ 45.145.01

▲ 45.145.02